


EQUIRIA™

The Slider Series



CATALOG 2027




QUALITY BY DESIGN

Index


Sliders	3
RS21– Cutting	3
RS25 – Inch	4
RS25X – Inch Plus.....	5
RS25R – Inch Jr.....	6
TW25 – Cow Horse	7
TW25W – Team Penning.....	8
TW30 – Toe Weight 30.....	9
TW30W – Wider Heels	10
TW33BC – TW30 Extra Toe	11
TW33 – Toe Weight 33.....	12
TW33W – Wider Heels	13
Quarter Front.....	14
RQ.....	14
Alu Quarter	15
QASTS – Front Square Toe.....	15
QARC – Front Open Toe Flat.....	15
QARZ – Front Open Toe Wedged.....	15
Forthcoming.....	16
TW36.....	16
TW36W.....	16
TW40.....	16
General info.....	17
Disclaimer	19

RS21 – Cutting




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
1	273	21	110	133
2	290	21	116	140
3	303	21	121	147

RS25 – Inch




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
0	300	25.4	104	127
1	313	25.4	110	133
2	335	25.4	116	140
3	358	25.4	121	147
4	378	25.4	128	155

RS25X – Inch Plus




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
5	413	27.5	134	162

RS25R – Inch Jr




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
1	310	25.4	110	133
2	332	25.4	116	140
3	353	25.4	121	147

TW25 – Cow Horse




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
0	263	23.8	104	127
1	280	23.8	110	133
2	310	25	116	140
3	330	25	121	147

TW25W – Team Penning




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
1	290	23.8	110	133
2	316	25	116	140
3	338	25	121	147

TW30 – Toe Weight 30




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
1	310	30	110	133
2	348	30	116	140
3	379	30	121	147
4	416	30	128	155

TW30W – Wider Heels




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
2	356	30	116	140
3	396	30	121	147
4	425	30	128	155

TW33BC – TW30 Extra Toe




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
2	355	33	116	143
3	389	33	121	150

TW33 – Toe Weight 33




Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
2	361	33	116	140
3	396	33	121	147
4	432	33	128	155

TW33W – Wider Heels



Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
2	374	33	116	140
3	408	33	121	147
4	447	33	128	155

RQ



Size	Weight	Toe Section	Width	Length
	[g]	[mm]	[mm]	[mm]
40	225	19.5	110	118
30	250	20	116	124
20	275	21	122	130
10	300	22	128	137

Alu Quarter




QASTS – Front Square Toe

Size	Weight	Dimension	Web
	[g]	[mm]	[mm]
3x0	129	116x118	20x10
2x0	144	122x124	21x10



QARC – Front Open Toe Flat

Size	Weight	Dimension	Web
	[g]	[mm]	[mm]
3x0	157	116x118	31x10
2x0	175	122x124	33x10



QARZ – Front Open Toe Wedged

Size	Weight	Dimension	Web
	[g]	[mm]	[mm]
3x0		116x118	31x12
2x0	183	122x124	33x12

Forthcoming

TW36

Toe Weight 36 (Standard)

TW36W

Toe Weight 36 - Wider Heels

TW40

Toe Weight 40 (Standard)

We are also preparing new sizes of existing models!

General info

The steel material is a certified material which can be **cold shaped** and **clipped** most of the times.

Test showed the possibility to use them **two times** in many cases (it depends on work and grounds).

The ground side is **polished**.

All styles and sizes are symmetrical with respect to the central vertical axe.

All horseshoes' dimensions and weights listed before are approximated.

All technical data can change without notice.

Being a running project, all information here included are subject to change without advice.

Any product here listed can be cancelled in any moment.

Most of the listed models are registered in EU.

Other models in our program may be registered in EU.

We wish you a nice work 😊

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Disclaimer


Equiria products are specialized farrier tools and supplies intended exclusively for installation and application by trained, certified professional farriers and equine veterinary practitioners. Incorrect horseshoe sizing, improper nail placement, or unsuitable hoof preparation can cause severe discomfort, lameness, or permanent injury to the horse.

All horseshoe designs, models, technical drawings, trademarks, brand logos, and visual catalog layouts contained herein are the exclusive property of Equiria and are protected under applicable European Union and international intellectual property laws. Any unauthorized reproduction, duplication, distribution, or commercial exploitation without prior written consent from Equiria is strictly prohibited.

Equiria shall not be held liable for any direct, indirect, incidental, or consequential damage, injury, or operational failure resulting from improper installation, unauthorized product modification, misuse, or failure to follow standard professional farrier practices and safety protocols.

Always perform a comprehensive evaluation of the horse's anatomy, biomechanics, and hoof health prior to selecting, fitting, or modifying any horseshoe. Ensure appropriate personal protective equipment (PPE) is worn during cold or hot shaping, grinding, and nailing operations.

MADE IN ITALY



REGISTERED MODELS



WWW.EQUIRIA.COM



+39 351 3132752



[EQUIRIA_HORSESHOES](https://www.instagram.com/EQUIRIA_HORSESHOES)



EQUIRIA-STORE.COM

**WARNING: THESE PRODUCTS ARE INTENDED TO
BE INSTALLED BY PROFESSIONAL FARRIERS ONLY**